

型号Model	马力 Power	气缸容 积 Displa cement	冷却 方式 Cooli ng	电机类 型 Motor Type	制冷量Cooling Capacity										COP		运行电 容Run Capacit or	启动电 容Start Capacit or	
					ASHRAE										CECOMAF	ASHRAE			CECOMAF
					-35	-30	-25	-23.3	-20	-15	-10	-5	0	-25	-23.3	-25			
	HP	cm ³			w	w	w	w	w	w	w	w	w	w/w	w/w	μF	μF		

LBP

220V-240V 50HZ R134a

D系列 D Series																		
D25CZ	1/14	2.5	S	RSIR	18	28	42	55	65	86	116	145	182	42	0.95	0.72		
D30CZ	1/12	3.0	S	RSIR	25	37	51	66	74	101	136	169	213	50	0.95	0.72		

S系列 S Series																		
S36CZ	1/8	3.6	S	RSIR	35	53	75	90	104	139	180	242	307	68	1.05	0.80		
S43CZ	1/7	4.3	S	RSIR	43	66	84	106	114	152	196	250	320	81	1.07	0.81		
S50CZ	1/6-	5.0	S	RSIR	48	73	98	120	140	192	255	330	393	91	1.30	0.99		
S50CZA	1/6-	5.0	S	RSIR	48	73	98	120	140	192	255	330	393	91	1.40	1.09		
SK30CZ	1/10	3.0	S	RSCR	36	55	74	80	98	132	166			61	1.25	0.95	4	
SK36CZ	1/8	3.6	S	RSCR	40	62	86	95	114	158	206			72	1.25	0.95	4	
SK43CZ	1/6-	4.3	S	RSCR	46	71	95	115	143	190	245			87	1.30	0.99	4	
SK53CZ	1/6	5.3	S	RSCR	48	79	116	130	153	200	260			99	1.30	0.99	4	

L系列 L Series																		
L58CZ	1/6+	5.8	S	RSIR	50	90	130	145	169	223	291			110	1.22	0.93		
L65CZ	1/5	6.5	S	RSIR	55	98	141	160	191	251	323			122	1.25	0.95		
L72CZ	1/4	7.2	S	RSIR	65	106	163	190	225	296	377			144	1.28	0.97		
LU58CZ	1/5	5.8	S	RSCR	52	91	131	142	176	228	295			108	1.45	1.10	4	
LZ58CZ	1/5	5.8	S	RSCR	53	92	132	145	179	233	300			110	1.60	1.22	4	

QD系列 QD Series																		
E1118CZA	1/4+	7.2	S	RSIR	77	120	182	200	265	360	467			152	1.28	0.97		
E1120CZA	1/3	8.2	F1	RSIR	82	135	206	230	303	407	520			175	1.28	0.97		
E1121CZA	3/8	8.8	F1	RSIR	93	160	240	270	348	467	620			205	1.28	0.97		
E1130CZA	3/8+	12.1	F1	CSIR	116	187	284	325	400	550	736			247	1.35	1.03		75
E1134CZA	1/2	13.5	F1	CSIR	131	217	318	375	445	591	774			285	1.35	1.03		75
EK1112CZ	1/5	5.5	S	RSCR	52	92	131	146	175	226	292			111	1.51	1.15	4	
EK1114CZ	1/4-	6.3	S	RSCR	63	111	154	168	206	266	340			128	1.51	1.15	4	
EK1116CZ	1/4	6.9	S	RSCR	70	119	170	184	234	305	372			140	1.52	1.16	5	
EK1118CZ	1/4+	7.2	S	RSCR	77	120	182	200	265	360	467			152	1.52	1.16	5	
EK1120CZ	1/3	8.2	F1	RSCR	82	135	206	230	303	407	520			175	1.52	1.16	5	
EK1130CZ	3/8+	12.1	F1	RSCR	116	187	284	325	400	550	736			247	1.52	1.16	6	
EK1134CZ	1/2	13.5	F1	RSCR	131	217	318	375	445	591	774			285	1.52	1.16	6	
EU1121CZ	3/8	8.8	F1	RSCR	93	160	240	270	348	467	620			205	1.60	1.22	5	
EU1130CZ	3/8+	12.1	F1	RSCR	116	187	284	325	400	550	736			247	1.58	1.20	6	
EZ1110CZ	1/7	4.8	S	RSCR	48	82	110	120	145	190	240			91	1.65	1.25	3	
EZ1112CZ	1/6	5.2	S	RSCR	55	94	128	140	176	228	295			106	1.65	1.25	4	
EZ1114CZ	1/5	5.9	S	RSCR	68	115	150	160	206	266	340			122	1.68	1.28	4	
EZ1116CZ	1/4	6.3	S	RSCR	70	119	170	180	234	305	370			137	1.70	1.29	4	
EZ1118CZ	1/4+	6.8	S	RSCR	77	120	182	200	265	360	467			152	1.70	1.29	4	

型号Model	马力Power	气缸容积Displacement	冷却方式Cooling	电机类型Motor Type	制冷量Cooling Capacity										COP		运行电容量Run Capacit or	启动电容量Start Capacit or				
					ASHRAE														CECOMAF	ASHRAE	CECOMAF	
					-35	-30	-25	-23.3	-20	-15	-10	-5	0	-25	-23.3	-25						
	HP	cm³			w	w	w	w	w	w	w	w	w	w/w	w/w	μF	μF					

LBP

220V-240V 50HZ R134a

QD系列 QD Series

EZ1120CZ	1/3	7.6	F1	RSCR	82	135	206	230	288	391	520			175	1.67	1.27	5	
EZ1130CZ	3/8+	12.1	F1	RSCR	116	187	284	325	400	550	736			247	1.65	1.25	6	

CT系列 CT Series

CT2134CZ	1/2	20.5	F2	RSIR	120	200	340	395	480	700	950			300	1.08	0.82		
----------	-----	------	----	------	-----	-----	-----	-----	-----	-----	-----	--	--	-----	------	------	--	--

CJ系列 CJ Series

CJ2140CZ	3/4	23.6	F3	CSR		292	399	450	560	772	1020			328	1.08	0.82	25	100
CJ2152CZ	1	34.6	F3	CSR		425	651	760	958	1303	1685			554	1.08	0.82	25	100

115V 60Hz R134a

D系列 D Series

D25BZ	1/10	2.5	S	RSIR	32	44	57	67	80	100	135	168	214	51	0.95	0.72		
D30BZ	1/9	3.0	S	RSIR	36	50	65	72	88	119	150	210	270	55	0.96	0.73		
D36BZ	1/8	3.6	S	RSIR	44	65	92	103	109	140	178	228	292	78	1.20	0.91		
DK25BZ	1/10	2.5	S	RSIR	34	46	59	68	82	102	136	170	215	54	1.33	1.01	12	

S系列 S Series

S43BZ	1/6-	4. 3	S	RSIR	48	74	108	125	150	206	270	336	412	95	1. 16	0. 88		
S53BZ	1/6+	5. 3	S	RSIR	50	90	131	145	172	226	300	380	468	110	1. 18	0. 90		
SK30BZ	1/8	3. 0	S	RSCR	40	62	84	95	114	158	200			72	1. 25	0. 95	12	
SK36BZ	1/6-	3. 6	S	RSCR	47	73	98	120	138	188	250			91	1. 30	0. 99	12	
SK37BZ	1/7	3. 6	S	RSCR	42	64	88	100	137	182	223	290	356	74	1. 48	1. 12	12	
SK43BZ	1/6	4. 3	S	RSCR	52	82	120	140	168	221	293			106	1. 35	1. 03	12	
SK53BZ	1/5	5. 3	S	RSCR	55	95	138	158	180	237	304			120	1. 35	1. 03	12	

L系列 L Series

LU43BZ	1/5	4.3	S	RSCR	52	82	120	140	168	221	293			106	1.45	1.10	12	
LU58BZ	1/4-	5.8	S	RSCR	62	105	160	170	220	285	355			129	1.50	1.14	12	
LZ63BZ	1/4+	6.3	S	RSCR	85	126	187	200	246	311	386			152	1.65	1.25	12	

115V 60Hz R134a

QD系列 QD Series

E1134BZ	1/2	13. 5	F1	RSCR	139	224	341	390	480	660	883			285	1. 32	1. 00		150
EU1112BZ	1/7	4. 8	S	RSCR	56	96	129	140	166	213	269			106	1. 50	1. 14	12	
EU1115BZ	1/6	5. 3	S	RSCR	83	120	160	170	220	285	355			129	1. 58	1. 20	12	
EU1118BZ	1/4	6. 3	S	RSCR	86	153	195	210	265	348	430			160	1. 60	1. 22	12	
EU1118BZA	1/4	6. 3	S	RSCR	86	153	195	210	265	348	430			160	1. 75	1. 33	12	
EU1121BZ	1/3	7. 2	F1	RSCR	126	185	260	250	340	468	605			190	1. 70	1. 29	15	
EU1121BZA	1/3	7. 2	F1	RSCR	126	185	260	250	340	468	605			190	1. 73	1. 31	15	

NE系列 NE Series

[illegible]

型号Model	马力Power	气缸容积Displacement	冷却方式Cooling	电机类型Motor Type	制冷量Cooling Capacity										COP		运行电容Run Capacitor	启动电容Start Capacitor	
					ASHRAE										CECOMAF	ASHRAE			CECOMAF
					-35	-30	-25	-23.3	-20	-15	-10	-5	0	-25	-23.3	-25			
	HP	cm ³			w	w	w	w	w	w	w	w	w	w/w	w/w	μF	μF		

LBP																		
115V 60Hz R134a																		
NE系列 NE Series																		
NE1130BZ	3/8+	14.2	F1	CSIR	100	170	279	325	398	554	730			247	1.20	0.91		150
220V-240V 50-60Hz R134a																		
D25DZ	1/10	2.5	S	RSIR	32	44	57	68	80	100	135	168	214	52	0.95	0.72		
L65DZ	1/4	6.5	S	CSIR	65	106	162	185	225	296	377			144	1.35	1.03		75
E1130DZ	3/8+	12.1	F1	CSIR	139	224	341	390	480	660	883			296	1.35	1.03		75
EU1121DZ	3/8+	12.1	F1	RSCR	100	170	279	325	398	554	730			247	1.52	1.16	5	

LBP																		
115-127V 60Hz R134a																		
LU65XZ	1/4	6.5	S	RSCR	65	106	163	190	225	296	377			144	1.55	1.18		

LBP																		
220V 50Hz R134a																		
直流变频 DC Frequency Conversion Range																		
W20EZ*	1/16	2.0	S	BLDM		28	40	45	56	76	102	130	165	34	1.17	0.89		
W25EZ*	1/16	2.5	S	BLDM		38	57	62	76	100	128	166	210	47	1.15	0.80		

型号Model	马力Power	气缸容积Displacement	冷却方式Cooling	电机类型Motor Type	制冷量Cooling Capacity										COP		运行电容Run Capacitor	启动电容Start Capacitor	
					ASHRAE										CECOMAF	ASHRAE			CECOMAF
					-35	-30	-25	-23.3	-20	-15	-10	-5	0	-25	-23.3	-25			
	HP	cm ³			w	w	w	w	w	w	w	w	w	w/w	w/w	μF	μF		

MHBP																		
220V 50Hz R134a																		
NB, NE系列 NB, NE Series																		
NB5145CZ	1/6+	5.9	F1	RSIR	172	230	303	386	476	520	578			426	1.90	1.44		
NB5155CZ	1/5	6.9	F1	RSIR	202	270	356	453	558	610	678			500	2.00	1.52		
NE5165CZ	1/4	9.0	F1	RSIR	308	390	470	610	748	850	900			697	2.30	1.75		
NE5170CZ	1/4+	9.8	F1	RSIR	320	420	550	670	825	930	1000			746	2.30	1.75		
NE6188CZ	1/3	12.0	F1	CSIR	370	520	665	830	1010	1100	1230			902	2.30	1.75		75
NE6210CZ	3/8	14.2	F1	CSIR	431	575	758	965	1190	1300	1445			1066	2.30	1.75		75
1150V 60Hz R134a																		
NE系列 NE Series																		
NE6170BZ	1/4	9.0	F2	RSIR	330	452	545	735	868	980	1044			804	2.20	1.67		150
NE6188BZ	3/8	12.0	F1	CSIR	429	603	771	963	1200	1280	1450			1050	2.20	1.67		100

注：*变频压缩机是在3000rpm/min的条件下测试。PS: Test of frequency conversion compressor was conducted at 3000rpm. △:S系列改进型, 供选择.S Series Advanced ,For Select.